


DE=				EN=				PT=				VN=											
O-Ringen Metrisch				O-Rings Metric				Anéis Metric				O-Rings Metric											
de= O-Ringe NBR 70, Querschnitt 1; 1,5; 2; 2,5; 3; 7 mm				Werkstoff Material Materiale tài liệu				Härte Hardness dureza độ cứng				Farbe Colour Cor Màu sắc				Qualitätsgewährleistung Quality warranty Garantia de qualidade Bảo hành chất lượng							
en= O-Rings NBR 70, profile 1; 1,5; 2; 2,5; 3; 7 mm				Nitril-Elastomer				IRHD/Shore A				schwarz/black				ISO 3601/DIN 3771							
pt= Anéis NBR 70, em seu perfil 1; 1,5; 2; 2,5; 3; 7 mm																							
vn= O-Rings NBR 70, hồ sơ 1; 1,5; 2; 2,5; 3; 7 mm																							
d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm	d1 mm	d2 mm
1,50	1,0	2,0	1,5	41,0	1,5	2,0	2,0	43,0	2,0	5,0	2,5	46,0	2,5	5,0	3,0	47,0	3,0	119,5	3,0	12,0	4,0	15,0	5,0
2,00	1,0	3,0	1,5	42,0	1,5	3,0	2,0	44,0	2,0	6,0	2,5	47,0	2,5	6,0	3,0	48,0	3,0	124,5	3,0	13,0	4,0	20,0	5,0
2,50	1,0	3,5	1,5	43,0	1,5	4,0	2,0	45,0	2,0	7,0	2,5	48,0	2,5	7,0	3,0	49,0	3,0	129,5	3,0	16,0	4,0	25,0	5,0
3,00	1,0	4,0	1,5	44,0	1,5	5,0	2,0	46,0	2,0	8,0	2,5	49,0	2,5	8,0	3,0	50,0	3,0	134,5	3,0	17,0	4,0	30,0	5,0
4,00	1,0	5,0	1,5	45,0	1,5	6,0	2,0	47,0	2,0	9,0	2,5	50,0	2,5	9,0	3,0	51,0	3,0	139,5	3,0	20,0	4,0	35,0	5,0
5,00	1,0	6,0	1,5	46,0	1,5	7,0	2,0	48,0	2,0	10,0	2,5	51,0	2,5	10,0	3,0	52,0	3,0	144,5	3,0	24,0	4,0	40,0	5,0
6,00	1,0	7,0	1,5	47,0	1,5	8,0	2,0	49,0	2,0	11,0	2,5	52,0	2,5	11,0	3,0	53,0	3,0	150,0	3,0	25,0	4,0	45,0	5,0
6,50	1,0	7,5	1,5	48,0	1,5	9,0	2,0	50,0	2,0	12,0	2,5	53,0	2,5	12,0	3,0	54,0	3,0	155,0	3,0	30,0	4,0	50,0	5,0
7,00	1,0	8,0	1,5	49,0	1,5	10,0	2,0	51,0	2,0	13,0	2,5	54,0	2,5	14,0	3,0	55,0	3,0	160,0	3,0	34,0	4,0	55,0	5,0
8,00	1,0	9,0	1,5	50,0	1,5	11,0	2,0	52,0	2,0	14,0	2,5	55,0	2,5	15,0	3,0	56,0	3,0	170,0	3,0	35,0	4,0	56,0	5,0
9,00	1,0	10,0	1,5	52,0	1,5	12,0	2,0	53,0	2,0	15,0	2,5	56,0	2,5	16,0	3,0	57,0	3,0	174,5	3,0	38,0	4,0	60,0	5,0
10,00	1,0	11,0	1,5	57,0	1,5	13,0	2,0	54,0	2,0	16,0	2,5	57,0	2,5	17,0	3,0	58,0	3,0			40,0	4,0	65,0	5,0
11,00	1,0	12,0	1,5	58,0	1,5	14,0	2,0	55,0	2,0	17,0	2,5	58,0	2,5	18,0	3,0	59,0	3,0	9,12	3,53	41,0	4,0	70,0	5,0
12,00	1,0	13,0	1,5	60,0	1,5	15,0	2,0	56,0	2,0	18,0	2,5	59,0	2,5	19,0	3,0	60,0	3,0	10,69	3,53	43,0	4,0	75,0	5,0
13,00	1,0	14,0	1,5	63,0	1,5	16,0	2,0	57,0	2,0	19,0	2,5	60,0	2,5	20,0	3,0	61,0	3,0			44,0	4,0	80,0	5,0
14,00	1,0	15,0	1,5	65,0	1,5	17,0	2,0	58,0	2,0	20,0	2,5	62,0	2,5	21,0	3,0	62,0	3,0			45,0	4,0	85,0	5,0
15,00	1,0	16,0	1,5	69,0	1,5	18,0	2,0	59,0	2,0	21,0	2,5	64,0	2,5	22,0	3,0	63,0	3,0			47,0	4,0	90,0	5,0
16,00	1,0	17,0	1,5	100,0	1,5	19,0	2,0	60,0	2,0	22,0	2,5	70,0	2,5	23,0	3,0	64,5	3,0			48,0	4,0	95,0	5,0
17,00	1,0	18,0	1,5			20,0	2,0	61,0	2,0	23,0	2,5			24,0	3,0	65,0	3,0			50,0	4,0	100,0	5,0
18,00	1,0	19,0	1,5			21,0	2,0	62,0	2,0	24,0	2,5			25,0	3,0	66,0	3,0			51,0	4,0	105,0	5,0
19,00	1,0	20,0	1,5			22,0	2,0	63,0	2,0	25,0	2,5			26,0	3,0	67,0	3,0			55,0	4,0	110,0	5,0
19,50	1,0	21,0	1,5			23,0	2,0	64,0	2,0	26,0	2,5			27,0	3,0	68,0	3,0			60,0	4,0	115,0	5,0
20,00	1,0	22,0	1,5			24,0	2,0	65,0	2,0	27,0	2,5			28,0	3,0	69,0	3,0			64,0	4,0	120,0	5,0
21,00	1,0	23,0	1,5			25,0	2,0	66,0	2,0	28,0	2,5			29,0	3,0	70,0	3,0			65,0	4,0	125,0	5,0
22,00	1,0	24,0	1,5			26,0	2,0	67,0	2,0	29,0	2,5			30,0	3,0	71,0	3,0			70,0	4,0	130,0	5,0
23,00	1,0	25,0	1,5			27,0	2,0	68,0	2,0	30,0	2,5			31,0	3,0	72,0	3,0			75,0	4,0	132,0	5,0
24,00	1,0	26,0	1,5			28,0	2,0	69,0	2,0	31,0	2,5			32,0	3,0	73,0	3,0			79,0	4,0	135,0	5,0
25,00	1,0	27,0	1,5			29,0	2,0	70,0	2,0	32,0	2,5			33,0	3,0	74,0	3,0			80,0	4,0	140,0	5,0
26,00	1,0	28,0	1,5			30,0	2,0	74,0	2,0	33,0	2,5			34,0	3,0	75,0	3,0			85,0	4,0	145,0	5,0
27,00	1,0	29,0	1,5			31,0	2,0	75,0	2,0	34,0	2,5			35,0	3,0	78,0	3,0			95,0	4,0	150,0	5,0
28,00	1,0	30,0	1,5			32,0	2,0	76,0	2,0	35,0	2,5			36,0	3,0	80,0	3,0			100,0	4,0	170,0	5,0
29,00	1,0	31,0	1,5			33,0	2,0	79,0	2,0	36,0	2,5			37,0	3,0	81,0	3,0			105,0	4,0	190,0	5,0
30,00	1,0	32,0	1,5			34,0	2,0	80,0	2,0	37,0	2,5			38,0	3,0	82,0	3,0			110,0	4,0	225,0	5,0
34,00	1,0	33,0	1,5			35,0	2,0	82,0	2,0	38,0	2,5			39,0	3,0	84,0	3,0			115,0	4,0	36,0	6,0
		34,0	1,5			36,0	2,0	85,0	2,0	39,0	2,5			40,0	3,0	85,0	3,0			120,0	4,0	100,0	6,0
		35,0	1,5			37,0	2,0	90,0	2,0	40,0	2,5			41,0	3,0	90,0	3,0			125,0	4,0	160,0	6,0
		36,0	1,5			38,0	2,0	95,0	2,0	41,0	2,5			42,0	3,0	94,0	3,0			130,0	4,0	30,0	7,0
		37,0	1,5			39,0	2,0	96,0	2,0	42,0	2,5			43,0	3,0	95,0	3,0			140,0	4,0		
		38,0	1,5			40,0	2,0	100,0	2,0	43,0	2,5			44,0	3,0	100,0	3,0			145,0	4,0		
		39,0	1,5			41,0	2,0	105,0	2,0	44,0	2,5			45,0	3,0	114,5	3,0			150,0	4,0		
		40,0	1,5			42,0	2,0	125,0	2,0	45,0	2,5			46,0	3,0	115,0	3,0			160,0	4,0		
																118,0	3,0			200,0	4,0		



gez/erfasst:	hpw	Datum: 2009	education project	O-Ringen_Metrisch_neu	translate/en_iwhp/p_cu/vn_ha	origin: maag technik, switzerland
Aenderung:	an	Datum: 17.12.2013	WIAP KFKOK	O-Rings_Metric_neu	r1a	Wi_8_f_19_d33_r1a_Orange_Metric_neu
Aenderung:	control 2	Data:	Safenwil Schweiz	spear 2	www.wiap.ch	idee of / from hpw